

Kui palju saab diagnoosida anamneesi ja objektiivse staatuse hindamisega?

Dr Vassili Novak

Paide 2011

ABBREVIATION

XR
CXR
AXR
US
Skeletal survey
Mammogram
Ba swallow/ meal/FT
Small bowel enema
Ba enema
IVU
CT
CTA
HRCT
NM
SPECT
MRI
MRA
MRCP
DSA
ERCP
PET

DEFINITION

Plain radiography one or more films
Chest radiograph
Abdominal radiograph
Ultrasound
A series of XRs to show the presence and extent of inv. skeleton
Breast radiography
Barium swallow/ meal/follow through
Detailed Barium study via nasoduodenal intubation
Barium enema
Intravenous urogram
Computed tomography
CT angiography
High resolution CT
Nuclear medicine
Single photon emission tomography
Magnetic resonance imaging
MR angiography
Magnetic resonance cholangio pancreatography
Digital subtraction angiography
Endoscopic retrograde cholangio pancreatography
Positron emission tomography

Radioloogia vajalik?

Põletik

Tselluliit

Tsüstiit

Appenditsiit

Enterit

LOR

Ülemise UTI

Hepatiit

Pneumoonia

Valu

Steno

Kõhuvalu

Jäsemevalu

Neuro = CT (+LP)

guidelines

Emergency Department Abdominal X-rays Have a Poor Diagnostic Yield and Their Usefulness is Questionable

Kirsty Jackson; David Taylor; Simon Judkins

Posted: 09/14/2011; Emerg Med J. 2011;28(9):745-749. © 2011 BMJ Publishing Group Ltd & the College of Emergency Medicine

An evaluation of the use of whole-body computed tomography in trauma patients at a United Kingdom trauma centre

Kuhan Venugopala, Alison F. Kinghorna, Curtis E. Emordia, Paul R. Atkinson^{a,b} and Richard J. Kendall

guidelines



Anamnees
Haige vaatlus,
füüsikaalne
uuring



Traditsioonilised
EMO uuringud
AXR CXR US



CT



Improving the pattern of work towards emergency medicine at the Emergency Department in Rambam Medical Centre

Basis, Fuad; Pollack, Shimon; Utits, Leora; Michaelson, Moshe

- 950 voodikohta. 34 voodikohta on EMOs
- Trauma + teraapia EMOD olid ühendatud
- Juhtimine: 1 direktor + 2 EMO spetsialisti
- Sihtmärk – triaaž ja ravi EMOs selleks, et minimaalse ajaga jõuda hospitaliseerimiseni või amb ravile lubamisele.
- Uued protokollid:
 - Kliiniline hinnang
 - Vere ja radioloogia testid
 - Spetsialistide konsultatsioon
 - Valu ravi
 - Kompuuteriseeritud vaba voodi otsingu süsteem

